

Day : Thursday
Date: 12/21/2006

Time: 15:18:03

 **PALM INTRANET**

Inventor Information for 10/516581

Inventor Name	City	State/Country
LEE, KI-MAN	SEOUL	KOREA, REPUBLIC OF
LEE, WHAN-SUN	SEOUL	KOREA, REPUBLIC OF
KWAK, MYUNG-SUN	SEOUL	KOREA, REPUBLIC OF
LEE, KI-WON	SEOUL	KOREA, REPUBLIC OF

Appln Info	Contents	Petition Info	Atty/Agent Info	Continuity/Reexam	Foreign I
----------------------------	--------------------------	-------------------------------	---------------------------------	-----------------------------------	---------------------------

Search Another: Application# or Patent#

PCT / / or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

1	US 6801492 B2	20041005	Solid immersion mirror type objective lens and optical pickup device adopting the same	369/112.26	359/731; 369/112.25	Lee; Chul-woo. et al.
1	US 6693104 B2	20040217	Theobromine with an anti-carcinogenic activity	514/263.34	424/48	Lee; Hyong Joo et al.
1	US 6519634 B1	20030211	Method of generating IEEE 1394 virtual network in which a virtual network controller is connected to generate self ID packets as virtual node ID	709/220	709/221	Song; Jung-ho et al.
1	US 6391221 B1	20020521	Method for removing the thermal-hardened frit seal to be used for assembling electronic parts	216/97	134/24; 134/3	Lee; Ki Won
1	US 6361613 B1	20020326	Method for pickling mettalic surface, pickling solutions therefor, and process for regenerating	134/3	134/10; 134/13; 134/41; 252/79.1; 252/79.2; 252/79.3	Lee; Ki Won

			spent pickling solutions			
1	US 6284721 B1	20010904	Cleaning and etching compositions	510/175	134/2; 134/3; 252/79.1; 257/E21.219; 257/E21.251; 257/E21.309; 438/689	Lee; Ki Won
1	US 6194365 B1	20010227	Composition for cleaning and etching electronic display and substrate	510/175	134/2; 134/3; 252/79.2; 252/79.3; 257/E21.219; 257/E21.251; 257/E21.309; 438/689; 438/753	Lee; Ki Won
1	US 5668830 A	19970916	Digital phase alignment and integrated multichannel transceiver employing same	375/220	370/517; 375/356	Georgiou; Christos John et al.